

APD 1100 M

Mitsubishi

Diesel



ISO8528

Generator

SZUTEST

Generator



2000/14/EC

Generator

Generator

	kw	kw	kw	Amp
400/230	1100,00	880,00	1030,00	1488,00

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Standard Specifications

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

Generator

TRANSFER SWITCH

Generator

Generator

Generator

Generator

Generator

Generator

Generator

APD 1100 M

Mitsubishi

D+' &'




Manufacturer		Mitsubishi
Model		S12H-PTA
		%\$\$' "# "
		1020,00 kw [1367,00HP]
	L	37,110
	"	150X175
		14:1
	fl # ȷ	"# " 1500
	fl ȷ	L 200,00
		L 244,00
AbsorbedAirDischargeReSourceKey.Text	' # "	83,00
	' # "	1800,00
		24 V d.c.
	Load	%\$\$i
	# "	
		226,00

		ECO43-1LN/4
	Hz	50
	"	1100,00
7 cg'		0,80
		3
	fl ȷ	400/230

		fl ȷ		fl ȷ	
	"	"	"	"	L
APD 1100 M	8940,00	4400,00	2100,00	2200,00	1500,00
		fl ȷ		fl ȷ	
	"	"	"	"	L
AK 96	12590	7500	2300	2495	1500

D+' &'



APD 1100 M

Mitsubishi

D+ & "



f@z@Bl
f@z@Bl

"z" "z" "z"

f@z@Bl

971

#

#

#

#



f&%) +L

f&)(, L

f&%) \$L

6G'9B '*\$-\$)'\$

6G'9B '*%\$\$\$!*!&

6G'9B '*%\$\$\$!*!(

#



ž

%, !&*(

&(\$)

ž

ž

GA 8


!&+""

ž

APD 1100 M

Mitsubishi

D+' &'



- 1 Steel structure made from steel sheet and steel profiles.
- 2 canopy and panels made from powder coated sheet steel.
- 3 Emergency stop push button.
- 4 Control panel is mounted on the baseframe . Located at the back of the generator set.
- 5 Cable out locations are under or back of the canopy.
- 6 Corrosion-resistant locks and hinges.
- 7 oil could be drained via valve and a hose
- 8 Exhaust system in the canopy.
- 9 special large access doors for easy maintenance
- 10 Fuel tank is at front of the canopy ,easy access to the fuel tank via lockable door
- 11 Lifting points similar to ISO container , located on each top corner of the canopy
- 12 the cap on the canopy provides easy access to radiator cap.
- 13 sound proofing materials
- 14 Integrated ladder built in to side of the canopy allows access to the top of the canopy.

	"	2300
fl "L	"	7500
fl "L	"	2495
	L	1500